

FAMILY HETEROMYIDAE

- Plains pocket mouse
Perognathus flavescens
- Hispid pocket mouse
Chaetodipus hispidus
- Ord's kangaroo rat
Dipodomys ordii

FAMILY CASTORIDAE

- Beaver
Castor canadensis

FAMILY MURIDAE

- Western harvest mouse
Reithrodontomys megalotis
- Plains harvest mouse
Reithrodontomys montanus
- White-footed mouse
Peromyscus leucopus
- Deer mouse
Peromyscus maniculatus
- Northern grasshopper mouse
Onychomys leucogaster
- Hispid cotton rat
Sigmodon hispidus
- Eastern woodrat
Neotoma floridana
- Prairie vole
Microtus ochrogaster
- Southern bog lemming
Synaptomys cooperi
- Muskrat
Ondatra zibethicus
- House mouse
Mus musculus
- Norway rat
Rattus norvegicus

LAGAMORPHA- Pikas, Rabbits, and Hares

FAMILY LEPORIDAE


- Eastern cottontail
Sylvilagus floridanus
- Black-tailed jackrabbit
Lepus californicus



FOX SQUIRREL



VIRGINIA OPOSSUM



WHITE FOOTED MOUSE

CHEYENNE BOTTOMS MAMMALS



MUSKRAT



Thanks to Dr. Jerry Choate
for his scientific expertise in updating this list.

Funded in part by your hunting
license dollars and the federal
excise tax on sporting arms
and ammunition for wildlife
restoration

Equal opportunity to participate in and benefit from programs described herein is available to all individuals without regard to race, color, national origin, sex, age, disability, sexual orientation, gender identity, political affiliation, and military or veteran status. Complaints of discrimination should be sent to Office of the Secretary, Kansas Department of Wildlife, Parks and Tourism, 1020 S Kansas Ave., Topeka, KS 66612-1327. 12/14



Cheyenne Bottoms
Wildlife Area
56 NE 40 Rd.
Great Bend, KS 67530
(620) 793-7730 (24-hr. Hotline)
(620) 793-3066 (Area Office)
(620) 227-8609 (Regional Office)

Department Website:
www.ksoutdoors.com

MAMMALS

Forty-four species of mammals have been identified at Cheyenne Bottoms Wildlife Area. After birth, young of all species, except opossums, nurse outside their mother's body. Newborn opossums nurse from within their mother's pouch for about 80 days. Diets of mammals at the Bottoms vary. Members of the Leporidae, Castoridae, Geomyidae, Heteromydidae, Muridae (except muskrats), and Cervidae families eat only plants. Shrews, badgers, minks, and bobcats eat primarily other animals. Opossums, coyotes, raccoons, and skunks eat a variety of animal and plant foods. Members of the Leporidae, Sciuridae, Geomyidae, Heteromyidae, and Muridae are preyed upon by raptors, coyotes, red foxes, raccoons, badgers, striped skunks, and bobcats.

ORDER	
SCIENTIFIC FAMILY	
Common Name	Scientific Name
DIDELPHIMORPHIA- Marsupials	
FAMILY DIDELPHIDAE	
Virginia opossum	<i>Didelphis virginiana</i>
XENARTHRA- Edentates	
FAMILY DASYPODIDAE	
Nine-banded Armadillo	<i>Dasypus novemcinctus</i>
INSECTIVORA- Insectivores	
FAMILY SORICIDAE	
Elliot's short-tailed shrew	<i>Blarina hylophaga</i>
Least Shrew	<i>Cryptotis parva</i>
FAMILY TALPIDAE	
Eastern Mole	<i>Scalopus aquaticus</i>
CHIROPTERA- Bats	
FAMILY VESPERTILIONIDAE	
Big Brown Bat	<i>Eptesicus fuscus</i>
Red Bat	<i>Lasiurus borealis</i>
Hoary Bat	<i>Lasiurus cinereus</i>
Little Brown Myotis	<i>Myotis lucifugus</i>
Evening Bat	<i>Nycticeius humeralis</i>
CARNIVORA- Carnivores	
FAMILY CANIDAE	
Coyote	<i>Canis latrans</i>
Red fox	<i>Vulpes vulpes</i>

FAMILY MUSTELIDAE	
Long-tailed weasel	<i>Mustela frenata</i>
Least weasel	<i>Mustela nivalis</i>
Mink	<i>Mustela vison</i>
Badger	<i>Taxidea taxus</i>
FAMILY MEPHITIDAE	
Eastern spotted skunk	<i>Spilogale putorius</i>
Striped skunk	<i>Mephitis mephitis</i>
FAMILY PROCYONIDAE	
Raccoon	<i>Procyon lotor</i>
FAMILY FELIDAE	
Bobcat	<i>Lynx rufus</i>
ARTIODACTYLA- Even-toed Ungulates	
FAMILY CERVIDAE	
Mule deer	<i>Odocoileus hemionus</i>
White-tailed deer	<i>O. virginianus</i>
RODENTIA- Rodents	
FAMILY SCIURIDAE	
Thirteen-lined ground squirrel	<i>Spermophilus tridecemlineatus</i>
Black-tailed prairie dog	<i>Cynomys ludovicianus</i>
Fox squirrel	<i>Sciurus niger</i>
FAMILY GEOMYIDAE	
Plains pocket gopher	<i>Geomys bursarius</i>