

The forecast is produced using data collected by fisheries biologists during their annual lake monitoring activities (which include test netting and electroshocking). Not every lake is sampled each year, so a three-year average has been included. Waters with low densities of certain species may not be listed.

Data is separated into three categories – reservoirs (those larger than 1,200 acres), lakes (waters from 10 to 1,200 acres), and ponds (waters smaller than 10 acres) – because sampling on small water bodies may not be comparable with that on larger areas.

Tables have been created for popular species and include a **Density Rating**, **Preferred Rating**, **Lunker Rating**, **Biggest Fish**, **Biologist's Rating**, and **3-year Average**.

The **Density Rating** is the number of fish that were high-quality size or larger sampled per unit of sampling effort. The number, listed in parentheses at the top of the **Density Rating** column, is the length of fish considered acceptable to most anglers and is different for each species. The higher the **Density Rating**, the more high-quality-sized or larger fish per surface acre in the lake. Theoretically, a lake with a **Density Rating** of 30 has twice as many high-quality-sized fish per acre as a lake with a **Density Rating** of 15.

The **Preferred Rating** identifies how many above-average-sized fish a water contains. For example, a lake may have a good density of crappie, but few fish over 10 inches. The **Preferred Rating** tells which lake to go to for a chance to catch bigger fish.

The **Lunker Rating** is similar to the **Density Rating**, but it tells you the relative density of lunker-sized fish in the lake. A lunker is a certain length of fish considered a trophy by most anglers. It also differs with each species and is listed in parentheses at the top of the **Lunker Rating** column. For example, most anglers consider a channel catfish longer than 28 inches a lunker. Many lakes may have a lunker rating of 0, but this does not mean there are no big fish in that lake. It just means that no lunker fish were caught during sampling, and they may be less abundant than in lakes with positive **Lunker Ratings**.

You can use the **Density Rating** and **Lunker Rating** together. If you want numbers, go with the highest **Density Rating**. If you want only big fish, go with the **Lunker Rating**. However, somewhere in the middle might be a better choice.

The **Biggest Fish** column lists the weight of the largest fish caught during sampling.

The **Biologist's Rating** adds a human touch to the forecast and allows each biologist to consider environmental conditions that may have affected the sampling. They also consider previous years' data. A rating of P (poor), F (fair), G (good), or E (excellent) will be in the last column. Sometimes the **Density Rating** may not agree with the **Biologist's Rating** and means the **Density Rating** may not accurately reflect the biologist's opinion of the fishery.

The **3-Year Average** rating refers to the averaging of the **Density Rating** over the previous three years of sampling to help show a trend for a particular lake.

This brochure is designed to help improve your fishing success. Your ability to catch fish depends on many factors such as water temperature, water clarity, weather, angling skills, fishing pressure, and density of fish in the lake (i.e. number of fish/acre). You may not have much control over many of these factors, but you can use these tables to select a high-density population of your favorite species.

Be sure to keep a copy of the current fishing regulations summary in your tackle box. The pamphlet includes a listing of laws and regulations, information about aquatic nuisance species precautions and distribution, as well as all the length and creel limits for reservoirs and state and community lakes. The pamphlet also has an application for a Master Angler Award, as well as a list of state records.




This program receives federal financial assistance from the U.S. Fish and Wildlife Service. Under Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, the U.S. Department of the Interior and its bureaus prohibit discrimination on the bases of race, color, national origin, age, disability or sex (in educational programs). If you believe that you have been discriminated against in any program, activity or facility, or if you desire further information please write to: U.S. Fish and Wildlife Service, Office for Diversity and Civil Rights Programs, External Programs, 4040 North Fairfax Drive, Suite 130 Arlington, VA 22203 02/18

# KANSAS Fishing Forecast 2018



FOR A COMPLETE LISTING OF ALL  
SAMPLING RESULTS VISIT OUR  
WEBSITE AT:  
[ksoutdoors.com](http://ksoutdoors.com)



Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>BLUEGILL</b>	(>6")	(>8")	(>10")	(lbs.)	(>6")	
<b>RESERVOIRS</b>						
WEBSTER	14.19	0.13	0.00	0.46	G	5.00
MARION	9.20	0.00	0.00	0.23	F	7.73
SEBELIUS (NORTON)	9.00	0.10	0.00	0.45	G	5.53
LOVEWELL	6.64	0.00	0.00	0.29	F	2.86
HILLSDALE	4.69	0.06	0.00	0.47	G	3.54
LACYGNE	3.69	0.00	0.00	0.30	F	4.33
BIG HILL	2.20	0.00	0.00	0.29	F	3.03
KIRWIN	2.06	0.00	0.00	0.37	F	0.69
WILSON	2.00	0.00	0.00	0.32	F	1.02
KANOPOLIS	1.44	0.06	0.00	0.52	F	0.95
<b>LAKES</b>						
PAOLA CITY LAKE	37.00	0.50	0.00	0.48	E	14.92
OLATHE-CEDAR LAKE	27.50	0.00	0.00	0.21	G	17.17
MCPHERSON	26.17	0.00	0.00	0.30	G	14.31
LENEXA-LAKE LENEXA	25.50	1.50	0.00	0.33	G	14.17
SCOTT STATE LAKE	21.00	1.00	0.00	0.41	G	28.30
WASHINGTON	20.50	0.00	0.00	0.28	G	22.33
GARDNER CITY LAKE	17.00	0.00	0.00	0.34	G	20.17
COUNCIL GROVE CITY LAKE	15.00	0.00	0.00	0.27	G	7.75
MIAMI	14.33	0.00	0.00	0.32	G	20.19
POTT. CO. - CROSS CREEK LK	12.50	0.00	0.00	0.31	G	21.25
DOUGLAS CO. - LONESTAR LAKE	11.50	0.25	0.00	0.24	G	12.83
PLAINVILLE LAKE	11.00	2.00	0.00	0.55	G	11.00
SABETHA - PONY CREEK LAKE	10.50	0.50	0.00	0.49	G	11.33
SHAWNEE CO. - LAKE SHAWNEE	9.75	0.00	0.00	0.33	G	14.13
LYON	9.00	0.75	0.00	0.46	G	23.08
MELVERN RIVER POND	9.00	2.00	0.00	0.43	G	4.33
POTTAWATOMIE #1	8.75	0.00	0.00	0.32	F	15.83
OLATHE-LAKE OLATHE	8.67	0.00	0.00	0.29	F	4.78
GREAT BEND - STONE PARK LAKE	8.67	0.00	0.00	0.34	F	8.67
LOUISBURG CITY LAKE	8.50	0.50	0.00	0.35	F	8.50
PLEASANTON - WEST LAKE	8.00	0.00	0.00	0.33	G	21.50
FORD	8.00	0.00	0.00	0.35	G	8.00
NEOSHO	7.75	0.00	0.00	0.26	G	6.75
HOWARD - POLK DANIELS LAKE	6.00	0.00	0.00	0.24	G	6.92
CARBONDALE CITY LAKE - EAST	5.50	0.00	0.00	0.31	F	4.42
LOGAN CITY LAKE	5.00	0.00	0.00	0.38	G	5.00
BOURBON	5.00	0.50	0.00	0.41	G	5.33
CHANUTE CITY LAKE	5.00	0.00	0.00	0.26	F	6.00
CENTRALIA CITY LAKE	5.00	0.00	0.00	0.31	F	5.63
COWLEY	4.75	1.25	0.00	0.00	G	4.50
JEWELL	4.50	0.00	0.00	0.29	G	3.17
FORT SCOTT CITY LAKE	4.38	0.38	0.00	0.32	G	4.38
PLEASANTON - EAST LAKE	4.00	0.00	0.00	0.24	F	4.63
MADISON CITY LAKE	4.00	1.00	0.00	0.66	G	14.75
WINFIELD CITY LAKE	3.90	0.00	0.00	0.31	F	2.40
JEFFREY EC - AUX. MAKEUP LAKE	3.63	0.00	0.00	0.25	F	5.25
GARNETT-CEDAR CREEK LAKE	3.50	0.00	0.00	0.25	F	9.92
MOLINE OLD (SOUTH) CITY LAKE	3.00	0.25	0.00	0.34	G	2.75
HARVEY CO. LAKE - EAST	2.80	0.00	0.00	0.42	F	2.80
POTTAWATOMIE #2	2.75	0.00	0.00	0.22	F	2.92
HORSETHIEF	2.63	0.00	0.00	0.30	F	2.08
SEDAN - NEW (SOUTH) CITY LAKE	2.50	0.00	0.00	0.30	F	2.50
OSAGE	2.50	0.00	0.00	0.29	F	1.58
BELLEVILLE - ROCKY POND	2.50	0.00	0.00	0.17	F	2.50
ATCHISON	2.50	0.00	0.00	0.24	F	1.92
THAYER CITY LAKE	2.50	0.00	0.00	0.31	G	2.00
MOLINE NEW (NORTH) CITY LAKE	2.25	0.00	0.00	0.22	F	1.33
ANTHONY CITY LAKE	2.25	0.00	0.00	0.20	P	2.25
BROWN	2.00	0.00	0.00	0.21	F	5.42
<b>PONDS</b>						
JEWELL CITY LAKE	15.50	0.50	0.00	0.45	G	7.94
SEVERY CITY LAKE	9.50	0.00	0.00	0.34	G	12.33
PARKER CITY LAKE	6.50	0.00	0.00	0.42	F	6.50
GLEN ELDER SP POND	1.00	0.00	0.00	0.23	F	1.17

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>REDEAR</b>	(>7")	(>9")	(>11")	(lbs.)	(>7")	
<b>RESERVOIRS</b>						
BIG HILL	0.40	0.00	0.00	0.35	F	0.83
WOLF CREEK	0.07	0.00	0.00	0.44	P	0.07
<b>LAKES</b>						
DOUGLAS	15.00	0.75	0.00	0.53	G	16.69
WILSON	13.00	1.75	0.25	0.99	G	7.17
PAOLA CITY LAKE	10.75	3.75	0.00	0.93	G	3.75
MELVERN RIVER POND	10.50	2.50	0.00	0.66	F	4.00
DOUGLAS CO. - LONESTAR LAKE	8.25	0.00	0.00	0.39	F	7.00
BONE CREEK LAKE	6.38	2.13	0.25	1.12	G	5.93
COWLEY	5.75	0.50	0.00		G	8.67
MONTGOMERY	4.14	0.14	0.00	0.55	G	3.13
LENEXA-LAKE LENEXA	4.00	1.00	0.00	0.47	G	3.83
SEDAN - NEW (SOUTH) CITY LAKE	3.50	0.00	0.00	0.34	G	3.50
LYON	3.00	0.75	0.00	0.67	G	4.58
YATES CENTER CITY LAKE-NEW	2.00	0.75	0.00	0.65	G	2.85
THAYER CITY LAKE	2.00	0.25	0.00	0.46	G	1.25
<b>PONDS</b>						
SEVERY CITY LAKE	11.50	2.50	0.00	0.58	G	6.17
JEWELL CITY LAKE	2.00	1.50	0.00	1.13	F	1.17
<b>BLUE CATFISH</b>	(>20")	(>30")	(>35")	(lbs.)	(>20")	
<b>RESERVOIRS</b>						
WOLF CREEK	3.31	0.63	0.06	22.05	G	2.58
MILFORD	3.05	0.40	0.10	20.94	G	1.78
ELK CITY	1.75	0.00	0.00	6.15	G	0.64
EL DORADO	1.13	0.13	0.07	23.88	G	0.81
WILSON	0.53	0.00	0.00	10.26	G	0.44
LOVEWELL	0.50	0.00	0.00	12.63	G	0.45
MELVERN	0.44	0.13	0.06	21.02	F	0.29
CLINTON	0.31	0.13	0.00	19.02	F	0.69
<b>LAKES</b>						
YATES CENTER CITY LAKE - NEW	0.33	0.00	0.00	6.68	P	0.44
MIAMI	0.17	0.00	0.00	10.81	P	0.08
<b>CHANNEL CATFISH</b>	(>16")	(>24")	(>28")	(lbs.)	(>16")	
<b>RESERVOIRS</b>						
CLINTON	6.06	0.38	0.06	9.45	G	5.42
MARION	5.20	0.73	0.13	8.84	G	3.62
BIG HILL	5.10	0.30	0.00	5.74	G	4.68
HILLSDALE	5.08	0.25	0.17	9.89	G	4.25
MELVERN	4.50	0.19	0.00	6.67	G	3.75
LOVEWELL	4.30	0.60	0.00	7.25	G	2.78
ELK CITY	4.08	1.08	0.00	7.46	G	3.79
KANOPOLIS	3.71	0.00	0.00	4.56	G	3.05
POMONA	3.25	0.25	0.00	4.91	G	3.57
COUNCIL GROVE	2.60	0.30	0.00	8.07	G	1.78
WILSON	2.57	0.10	0.00	7.93	G	2.06
PERRY	2.45	0.34	0.03	8.60	G	2.45
<b>LAKES</b>						
CHANUTE CITY LAKE	9.25	1.00	0.75	14.46	E	4.75
NEBO	8.33	0.33	0.00	6.61	G	3.94
MOUND CITY LAKE	8.17	0.67	0.33	9.39	E	8.17
EUREKA CITY LAKE	8.00	2.00	0.50	11.45	E	6.39
CRITZER LAKE	7.50	0.50	0.00	5.15	E	6.00
CARBONDALE CITY LAKE - EAST	7.50	0.33	0.17	15.01	G	5.06
DOUGLAS	7.17	0.50	0.00	5.63	G	8.11
PLEASANTON - WEST LAKE	7.00	0.33	0.00	5.83	E	11.17
CENTRALIA CITY LAKE	6.75	2.25	0.25	13.45	E	4.21
GARNETT-CEDAR CREEK LAKE	6.63	0.25	0.00	5.13	G	6.94
OLATHE-CEDAR LAKE	5.75	0.75	0.00	8.70	G	6.33
WASHINGTON	5.75	0.25	0.00	5.25	G	4.19

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>CHANNEL CATFISH</b>	(>16")	(>24")	(>28")	(lbs.)	(>16")	
<b>LAKES</b>						
BUTLER	5.25	0.00	0.00	5.39	G	5.25
PLAINVILLE LAKE	5.00	0.00	0.00	3.02	G	5.00
HARVEY CO. LAKE - EAST	5.00	0.17	0.00	5.58	G	5.00
COWLEY	4.50	0.50	0.25	12.57	G	4.17
MELVERN RIVER POND	4.50	0.50	0.25	11.51	G	3.75
PARSONS CITY LAKE	4.38	0.63	0.13	7.99	G	4.38
HERINGTON CITY LAKE-NEW	4.25	0.25	0.00	4.96	G	2.92
GARNETT CITY LAKE-NORTH	4.25	0.50	0.00	6.36	G	5.63
FORD	4.00	0.00	0.00	3.57	G	4.00
CLARK	3.75	0.13	0.00	5.73	G	3.58
SEDAN - NEW (SOUTH) CITY LAKE	3.75	1.25	0.75	21.96	G	3.75
HOLTON - BANNER CREEK LAKE	3.75	0.13	0.00	7.50	G	2.97
ANTHONY CITY LAKE	3.75	1.75	0.00	7.63	G	3.75
POTT. CO. - CROSS CREEK LK	3.67	0.67	0.33	15.65	G	2.50
OSAGE	3.67	0.00	0.00	3.89	G	3.17
FORT SCOTT CITY LAKE	3.63	0.63	0.00	7.48	G	3.63
LEBO CITY LAKE	3.50	0.25	0.00	6.17	G	1.75
BOURBON	3.50	0.50	0.25	9.20	G	4.00
GRIDLEY CITY LAKE	3.33	0.33	0.00	4.03	G	5.22
CHASE	3.25	0.00	0.00	4.34	G	4.08
BONE CREEK LAKE	3.13	0.75	0.38	17.39	F	3.00
ATCHISON	3.00	0.25	0.00	5.87	G	3.83
JEWELL	3.00	0.25	0.00	4.21	G	3.25
SHAWNEE CO.-LAKE SHAWNEE	3.00	0.25	0.13	14.01	G	3.19
HOLTON-PRAIRIE LAKE	3.00	0.50	0.25	10.14	G	4.50
KINGMAN	3.00	0.25	0.00	4.96	F	3.50
LYON	3.00	0.17	0.17	10.58	G	1.50
GARDNER CITY LAKE	2.67	0.67	0.17	10.80	G	1.94
LOUISBURG CITY LAKE	2.67	0.67	0.33	9.13	G	2.67
PLEASANTON - EAST LAKE	2.67	0.33	0.00	8.38	G	3.08
MIDDLE CREEK	2.50	0.50	0.17	10.56	G	3.22
NEOSHO	2.50	0.50	0.00	7.41	G	4.17
SHAWNEE	2.33	0.00	0.00	3.23	G	1.78
MIAMI	2.33	0.00	0.00	3.55	F	1.50
LEAVENWORTH	2.00	0.17	0.17	11.02	G	1.56
WILSON	2.00	0.00	0.00	4.77	F	1.39
BROWN	2.00	0.25	0.00	4.28	G	1.83
POTTAWATOMIE #2	2.00	0.00	0.00	2.64	G	1.58
<b>PONDS</b>						
JEWELL CITY LAKE	4.50	0.00	0.00	3.92	G	2.39
PARKER CITY LAKE	1.00	0.00	0.00	2.18	G	1.00
LAWRENCE - P. DAWSON BILLINGS - N	1.00	0.00	0.00	1.89	F	1.00
STERLING CITY LAKE	0.33	0.00	0.00	3.25	F	0.50

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>FLATHEAD CATFISH</b>	(>20")	(>28")	(>34")	(lbs.)	(>20")	
<b>RESERVOIRS</b>						
LACYGNE	0.50	0.08	0.00	6.62	E	0.37
TORONTO	0.42	0.00	0.00	5.36	G	0.63
BIG HILL	0.20	0.10	0.00	6.41	G	0.20
SEBELIUS (NORTON)	0.20	0.10	0.00	9.66	F	0.20
MELVERN	0.19	0.06	0.00	3.50	F	0.13
FALL RIVER	0.17	0.08	0.08	8.85	G	0.12
<b>LAKES</b>						
NEOSHO	0.50	0.25	0.25	25.37	P	0.50
COWLEY	0.50	0.00	0.00	4.78	F	0.38
CLARK	0.38	0.00	0.00	3.02	F	0.27
MOLINE NEW (NORTH) CITY LAKE	0.33	0.00	0.00	3.14	P	0.25
PARSONS CITY LAKE	0.25	0.00	0.00	3.47	F	0.25
BONE CREEK LAKE	0.25	0.00	0.00	2.69	P	0.25
COUNCIL GROVE CITY LAKE	0.25	0.00	0.00	4.15	F	0.25
CARBONDALE CITY LAKE - EAST	0.17	0.17	0.00	7.24	P	0.17
GARDNER CITY LAKE	0.17	0.00	0.00	2.84	P	0.18
LEAVENWORTH						

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>LARGEMOUTH BASS</b>						
RESERVOIRS	(>12")	(>15")	(>20")	(lbs.)		(>12")
LACYGNE	89.09	66.36	17.27	10.69	E	78.24
SEBELIUS (NORTON)	38.89	29.86	0.00	3.12	E	89.19
BIG HILL	26.92	16.43	1.05	5.38	G	29.83
CEDAR BLUFF	19.46	7.16	0.00	4.11	F	11.19
GLEN ELDER	10.43	2.41	0.13	5.14	G	4.50
HILLSDALE	8.22	1.99	0.25	6.68	F	7.95
WILSON	8.06	5.32	0.00	3.38	F	4.86
CLINTON	5.62	0.56	0.00	4.35	P	3.00
KANOPOLIS	2.93	0.98	0.00	2.06	P	1.83
WOLF CREEK	2.37	1.18	0.00	2.86	F	5.03
<b>LAKES</b>						
POTTAWATOMIE #1	228.11	13.33	1.48	4.44	E	172.93
COWLEY	139.22	33.33	1.96	4.93	E	143.68
GARNETT CITY LAKE-NORTH	115.73	33.71	0.00	3.59	G	103.45
BUTLER	114.71	57.84	10.78	6.19	E	125.49
DOUGLAS	106.86	9.80	1.96	4.76	G	74.84
RICHMOND CITY LAKE	106.00	54.00	6.00	5.68	E	106.00
GRIDLEY CITY LAKE	103.45	6.90	0.00	2.10	G	92.34
FORT SCOTT - GUNN PARK W PD - #2	96.67	16.67	3.33	4.08	E	51.33
BOURBON	92.00	16.00	3.00	6.39	E	96.16
YATES CENTER CITY LAKE - NEW	84.62	20.00	0.00	2.72	G	77.44
LYON	83.83	42.91	0.00	3.36	G	75.80
MCPHERSON	83.77	55.84	2.60	6.28	G	69.52
GARNETT-CEDAR CREEK LAKE	79.03	37.63	7.53	8.51	G	62.93
KIOWA	77.55	44.90	0.00	5.08	F	57.98
LENEXA - LAKE LENEXA	72.55	7.84	0.98	6.01	G	58.54
SCOTT STATE LAKE	72.12	17.31	1.92	5.48	G	50.88
PRATT CO. LAKE	72.09	36.05	2.33	5.88	G	95.15
OLATHE-CEDAR LAKE	71.57	46.08	0.00	6.14	G	56.66
KINGMAN	70.86	35.93	0.00	4.32	G	58.05
POTT. CO. - CROSS CREEK LK	69.07	14.54	1.82	5.57	G	96.88
SHAWNEE CO.-LAKE SHAWNEE	67.97	15.69	0.00	4.22	G	41.39
HOWAR D -POLK DANIELS LAKE	64.87	18.96	0.00	3.25	G	66.49
JEWELL	63.80	40.72	0.45	4.54	G	54.13
GARDNER CITY LAKE	61.54	20.19	0.00	4.48	G	52.23
NEBO	58.88	26.86	6.20	7.17	G	51.21
MADISON CITY LAKE	56.89	26.95	2.00	4.63	G	50.24
FORT SCOTT - ROCK CREEK LAKE	56.00	10.00	0.00	3.84	G	56.00
OLATHE-LAKE OLATHE	55.77	26.92	0.00	4.49	G	47.17
SHAWNEE	55.60	34.87	2.83	5.58	G	53.29
CLARK	55.35	26.42	5.66	7.57	G	35.06
COLDWATER LAKE	54.24	10.17	0.00	3.09	G	42.70
DOUGLAS CO. - LONESTAR LAKE	51.96	11.76	0.98	5.91	G	74.51
NEOSHO	51.47	16.18	2.21	4.94	G	64.22
HOLTON - PRAIRIE LAKE	47.90	35.07	1.71	4.22	G	54.62
MOLINE OLD (SOUTH) CITY LAKE	47.90	8.98	0.00	2.32	G	38.16
PLEASANTON - WEST LAKE	45.00	31.67	0.00	4.34	G	65.33
ATWOOD-LAKE ATWOOD - MAIN	43.14	26.47	0.00	2.58	G	37.96
MELVERN RIVER POND	42.61	21.74	0.87	5.46	G	34.46
CRITZER LAKE	42.50	20.00	0.00	3.48	G	31.96
CARBONDALE CITY LAKE - EAST	42.16	7.84	0.00	4.30	F	34.31
GRAHAM CO.-ANTELOPE LAKE	42.02	13.45	0.00	3.28	G	44.11
EUREKA CITY LAKE	41.92	6.99	0.00	3.37	G	49.87
GREAT BEND-STONE PARK LAKE	41.84	15.31	0.00	4.47	F	33.52
WILSON	40.74	11.11	0.00	3.64	G	60.58
MEADE STATE LAKE	40.00	28.57	2.86	6.41	G	51.31
PRESCOTT CITY LAKE	40.00	2.86	0.00	1.94	F	40.00
WASHINGTON	39.69	6.78	0.00	4.14	F	24.65
SHERIDAN	37.70	2.46	0.82	5.41	G	24.82
POTTAWATOMIE #2	34.99	20.00	1.00	4.91	F	49.34
YATES CENTER-SOUTH OWL LAKE	34.95	10.19	0.00	4.41	G	39.71
BARBER - LOWER	34.33	2.99	1.49	5.47	F	25.73
OSAGE	34.31	1.96	0.00	1.79	F	26.47
LEBO CITY LAKE	34.30	9.88	0.00	2.93	F	26.79
PLEASANTON - EAST LAKE	34.00	10.00	0.00	4.20	F	42.61

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>SMALLMOUTH BASS</b>						
RESERVOIRS	(>11")	(>14")	(>17")	(lbs.)		(>11")
WOLF CREEK	45.56	30.18	5.92	3.21	E	40.64
GLEN ELDER	21.93	12.70	1.60	3.38	G	16.00
EL DORADO	16.57	3.55	0.59	2.49	G	20.16
WILSON	9.95	5.66	1.20	3.18	G	5.24
MELVERN	9.67	3.14	0.00	2.06	G	12.51
BIG HILL	1.75	1.05	0.00	2.13	F	2.65
<b>LAKES</b>						
JEFFREY EC - AUX. MAKEUP LAKE	7.38	3.69	0.92	2.29	G	17.29
WINFIELD CITY LAKE	3.53	1.18	0.59	2.73	F	2.75
GRIDLEY CITY LAKE	3.45	3.45	0.00	1.45	F	4.98
JEFFREY EC - MAKEUP LAKE	3.27	2.18	0.00	1.70	F	13.05
SHAWNEE CO. - LAKE SHAWNEE	3.27	0.00	0.00	0.98	F	2.72
CRITZER LAKE	2.50	2.50	0.00	1.46	P	1.25
GREAT BEND - STONE PARK LAKE	2.04	1.02	0.00	2.51	F	4.38
POTTAWATOMIE #2	2.00	0.00	0.00	0.69	F	1.45
<b>STRIPED BASS</b>						
RESERVOIRS	(>20")	(>30")	(>35")	(lbs.)		(>20")
WILSON	1.57	0.03	0.00	10.48	G	1.62
GLEN ELDER	0.08	0.00	0.00	4.38	P	0.03
<b>SPOTTED BASS</b>						
RESERVOIRS	(>11")	(>14")	(>17")	(lbs.)		(>11")
SEBELIUS (NORTON)	13.89	4.17	0.00	1.74	E	9.53
CEDAR BLUFF	2.46	0.67	0.00	1.55	F	2.45
EL DORADO	1.18	0.00	0.00	0.91	P	3.79
GLEN ELDER	0.40	0.00	0.00	1.31	P	0.18
<b>LAKES</b>						
BOURBON	33.00	0.00	0.00	0.94	E	34.27
WILSON	25.00	6.48	0.00	1.88	E	20.71
HOWARD - POLK DANIELS LAKE	6.99	1.00	0.00	1.79	G	12.59
WINFIELD CITY LAKE	5.88	0.59	0.00	1.94	F	2.94
CRAWFORD	5.43	1.81	0.00	1.74	F	8.67
EUREKA CITY LAKE	2.99	2.00	0.00	1.34	G	3.64
<b>WALLEYE</b>						
RESERVOIRS	(>15")	(>20")	(>25")	(lbs.)		(>15")
GLEN ELDER	6.00	0.96	0.00	4.99	G	3.36
CEDAR BLUFF	5.48	0.48	0.04	5.83	G	4.65
EL DORADO	5.07	1.60	0.20	8.20	G	3.29
WILSON	4.80	1.27	0.00	5.77	G	4.23
MARION	3.93	1.47	0.27	9.25	G	2.10
MILFORD	3.80	0.60	0.00	5.42	G	2.52
WEBSTER	3.42	0.92	0.08	6.32	G	1.88
KIRWIN	2.67	0.92	0.00	5.60	G	2.14
CHENEY	1.70	0.45	0.05	6.90	G	2.42
POMONA	1.58	1.08	0.08	5.63	F	0.69
LOVEWELL	1.55	0.45	0.10	9.04	F	1.10
HILLSDALE	1.08	0.33	0.00	4.63	G	0.92
COUNCIL GROVE	1.00	1.00	0.20	6.55	F	0.69
WOLF CREEK	0.44	0.19	0.00	3.64	F	0.55
<b>LAKES</b>						
GRIDLEY CITY LAKE	3.67	0.33	0.00	3.07	G	3.78
SABETHA - PONY CREEK LAKE	1.50	1.00	0.00	4.85	F	1.17
HERINGTON CITY LAKE-NEW	1.50	0.00	0.00	2.18	F	0.83
PLEASANTON - EAST LAKE	1.33	1.17	0.17	4.46	G	1.33
SHAWNEE	1.00	0.83	0.17	7.26	F	0.61
SHAWNEE CO. - LAKE SHAWNEE	1.00	0.00	0.00	2.23	F	0.94

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
<b>WHITE CRAPPIE</b>						
RESERVOIRS	(>8")	(>10")	(>12")	(lbs.)		(>8")
WOLF CREEK	55.88	20.75	4.88	1.79	E	30.46
OLATHE-CEDAR LAKE	50.50	7.50	1.50	1.09	G	28.33
CARBONDALE CITY LAKE - EAST	38.50	16.00	0.25	0.72	G	26.00
WASHINGTON	34.50	4.00	0.50	1.01	G	19.50
ATCHISON	27.00	1.00	0.50	1.68	G	12.33
SCOTT STATE LAKE	25.56	3.56	0.78	1.37	G	43.74
MCPHERSON	22.33	1.50	0.33	1.11	G	25.86
GARNETT-CEDAR CREEK LAKE	16.50	1.63	0.25	1.08	F	15.17
NEBO	15.50	5.00	3.50	1.83	G	11.00
MELVERN RIVER POND	14.00	3.50	0.00	0.56	G	14.50
MOLINE NEW (NORTH) CITY LAKE	14.00	12.25	4.75	1.61	G	17.75
OTTAWA	13.50	8.33	2.00	1.42	G	16.56
SEDAN - NEW (SOUTH) CITY LAKE	12.00	4.00	1.00	0.91	G	12.00
WINFIELD CITY LAKE	11.60	2.30	0.00	0.75	G	8.17
MIAMI	11.00	0.67	0.33	1.71	G	11.83
COUNCIL GROVE CITY LAKE	10.75	1.75	0.00	0.63	G	4.50
HOLTON-PRAIRIE LAKE	10.50	1.00	1.00	1.36	G	12.13
PLEASANTON - WEST LAKE	10.50	2.00	1.00	1.40	G	20.00
PARSONS CITY LAKE	9.75	3.00	1.63	1.82	G	9.75
DOUGLAS	8.25	3.50	0.25	0.74	F	4.11
LYON	8.25	6.25	1.00	0.94	G	10.50
LEBO CITY LAKE	8.00	7.25	2.50	1.83	G	6.14
OSAGE	6.75	4.50	1.00	1.41	F	3.25
BROWN	6.50	2.50	0.00	0.55	F	10.00
JEFFREY EC - AUX. MAKEUP LAKE	6.13	1.75	0.25	0.91	F	4.50
OLATHE-LAKE OLATHE	6.00	0.67	0.33	0.85	F	3.78
YATES CENTER - SOUTH OWL LAKE	6.00	3.20	1.20	1.05	G	5.70
GARDNER CITY LAKE	5.50	2.00	0.75	1.32	F	3.33
HORSETHIEF	5.50	0.13	0.00	0.41	F	3.04
NEOSHO	5.25	0.00	0.00	0.33	G	5.92
PAOLA CITY LAKE	5.25	3.50	0.75	1.11	F	4.08
PRATT CO. LAKE	5.00	2.00	0.00	0.71	F	8.11
HARVEY CO. LAKE - EAST	4.80	1.40	0.00	0.66	F	4.80
HOWARD-POLK DANIELS LAKE	4.25	0.50	0.25	0.85	G	6.42
MOLINE OLD (SOUTH) CITY LAKE	3.75	1.25	0.25	1.01	F	4.83
SHAWNEE	3.75	1.25	0.25	1.58	F	4.42
GEARY	3.50	0.75	0.00	0.70	F	10.17
GREAT BEND - STONE PARK LAKE	3.33	2.00	0.33	1.01	F	3.33
DOUGLAS CO. - LONESTAR LAKE	3.25	1.50	0.50	0.90	F	3.50
JE						



BONE CREEK LAKE	33.94	25.34	0.45	4.59	G	41.81
LEAVENWORTH	29.94	6.59	0.00	3.35	F	45.93
MONTGOMERY	28.87	9.86	0.00	3.37	G	31.98
HORSETHIEF	27.14	18.57	0.00	4.55	G	28.21
MIAMI	25.00	13.89	0.00	4.00	F	27.38
LOUISBURG CITY LAKE	23.30	0.97	0.00	2.82	F	23.30
OTTAWA	21.93	9.09	0.00	3.72	F	25.76
GEARY	21.57	3.27	0.00	3.13	F	19.04
HARVEY CO. LAKE - EAST	20.96	8.98	1.50	3.84	F	20.96
PAOLA CITY LAKE	20.00	10.91	0.00	3.80	F	23.70
HOLTON - BANNER CREEK LAKE	19.60	8.17	0.54	3.99	F	26.47
PLEASANTON CITY LAKE - OLD	18.33	11.67	0.00	3.42	F	18.33
MIDDLE CREEK	18.12	2.90	0.00	3.31	F	11.45
ELLIS CITY LAKE	17.65	2.61	0.00	2.07	F	8.80
CRAWFORD	17.19	10.86	0.90	5.00	F	19.24
MOLINE NEW (NORTH) CITY LAKE	16.97	2.99	0.00	2.30	F	21.78
WINFIELD CITY LAKE	13.53	7.06	0.00	3.50	F	14.90
CENTRALIA CITY LAKE	10.60	4.42	0.88	7.28	P	9.79
FORD	7.58	1.52	0.00	2.60	F	9.34
JEFFREY EC - AUX. MAKEUP LAKE	7.38	2.77	0.00	3.46	F	3.10
GREAT BEND-VETS PARK LAKE	5.15	1.72	1.72	5.19	P	5.15
PLAINVILLE LAKE	2.50	0.00	0.00	0.96	F	2.50
OLPE CITY LAKE	1.90	0.63	0.00	2.36	P	1.62

#### PONDS

STERLING CITY LAKE	95.59	19.12	0.00	3.22	G	54.20
EMPORIA-JONES PARK - WEST POND	75.00	8.33	0.00	1.47	G	84.33
OVERBROOK KIDS POND	70.83	8.33	0.00	2.68	F	52.08
EMPORIA-JONES PARK - NORTH POND	66.67	66.67	0.00	3.10	G	89.39
PARKER CITY LAKE	66.00	12.00	2.00	5.03	G	66.00
JEWELL CITY LAKE	62.17	38.59	0.00	3.77	G	100.19
EMPORIA-JONES PARK - EAST POND	54.05	13.51	0.00	1.98	G	92.55
OVERBROOK CITY LAKE	45.45	22.73	0.00	2.91	G	32.53
FALL RIVER RES. SP - KIDS POND	40.00	8.00	0.00	2.46	G	36.67
EMPORIA-PETER PAN PARK	35.00	15.00	0.00	3.64	G	27.71
OLPE-JONES PARK POND	25.00	8.33	0.00	2.08	F	28.51
GLEN ELDER SP POND	14.71	11.76	0.00	2.82	F	9.80

## SAUGER

RESERVOIRS	(>11")	(>14")	(>17")	(lbs.)	(>11")	
PERRY	2.83	2.38	0.93	2.48	G	2.34
CLINTON	1.56	1.31	0.13	1.81	F	1.17
MELVERN	0.13	0.13	0.13	2.38	P	0.13

#### LAKES

HOLTON - BANNER CREEK LAKE	3.88	2.63	1.88	3.54	G	6.19
----------------------------	------	------	------	------	---	------

## SAUGEYE

RESERVOIRS	(>14")	(>18")	(>22")	(lbs.)	(>14")	
KANOPOLIS	4.76	2.24	0.00	3.58	G	4.59
SEBELIUS (NORTON)	3.00	1.30	0.40	5.32	G	5.86
COUNCIL GROVE	1.40	0.80	0.60	5.26	F	0.80
TUTTLE CREEK	0.20	0.00	0.00	1.90	F	0.13

#### LAKES

CENTRALIA CITY LAKE	11.50	5.88	1.00	8.93	E	5.92
SCOTT STATE LAKE	10.17	2.67	0.42	7.13	G	9.36
WELLINGTON CITY LAKE	3.83	1.67	0.33	4.22	G	3.76
HOWARD - POLK DANIELS LAKE	3.75	3.00	1.25	4.76	G	3.50
SHERIDAN	3.50	0.00	0.00	1.52	F	2.67
ATWOOD - LAKE ATWOOD-MAIN	3.33	3.33	1.67	4.54	G	3.67
CARBONDALE CITY LAKE - EAST	2.83	0.17	0.17	4.74	G	2.33
OTTAWA	2.80	0.60	0.00	3.52	F	2.49
WASHINGTON	2.50	2.25	0.50	6.14	F	1.44
MCPHERSON	2.00	1.80	0.80	7.20	F	1.90
SEDAN - NEW (SOUTH) CITY LAKE	1.75	1.25	0.00	4.20	F	1.75
CHASE	1.75	1.00	0.50	4.41	F	1.17
MIDDLE CREEK	1.50	0.67	0.00	4.00	F	1.00
POTTAWATOMIE #2	1.25	1.25	0.50	4.09	F	0.75
OLPE CITY LAKE	1.25	1.25	1.00	5.41	G	0.88
GEARY	1.25	0.50	0.25	3.53	F	1.58
MADISON CITY LAKE	1.00	1.00	1.00	6.39	G	1.44
PARSONS CITY LAKE	0.88	0.38	0.25	4.93	G	0.88

#### PONDS

STERLING CITY LAKE	0.33	0.00	0.00	1.44	P	0.33
--------------------	------	------	------	------	---	------

JEFFREY EC - MAKEUP LAKE	1.00	0.00	0.00	1.77	F	0.44
HOLTON - BANNER CREEK LAKE	1.00	0.75	0.00	4.81	F	1.93
COUNCIL GROVE CITY LAKE	1.00	0.25	0.00	4.89	F	0.83
WINFIELD CITY LAKE	0.90	0.60	0.10	6.28	F	0.67
YATES CENTER - SOUTH OWL LAKE	0.67	0.00	0.00	2.37	F	0.94
BARBER - LOWER	0.67	0.00	0.00	2.62	F	0.92
JEFFREY EC - AUX. MAKEUP LAKE	0.63	0.13	0.00	3.70	F	0.54
YATES CENTER CITY LAKE - NEW	0.50	0.17	0.00	3.76	F	0.22

## WHITE BASS

RESERVOIRS	(>9")	(>12")	(>15")	(lbs.)	(>9")	
GLEN ELDER	19.54	13.75	2.83	2.60	E	10.64
CEDAR BLUFF	17.13	14.78	4.35	1.93	E	14.70
TORONTO	9.00	7.08	1.42	2.76	G	5.36
ELK CITY	8.25	6.25	0.33	2.19	G	5.66
KANOPOLIS	8.00	7.33	1.38	2.65	G	9.02
WEBSTER	6.00	2.08	0.33	1.93	G	5.86
JOHN REDMOND	5.56	5.39	1.22	3.21	G	6.78
CLINTON	5.50	5.44	2.19	2.31	F	8.25
FALL RIVER	5.08	3.25	1.25	2.48	G	3.60
LOVEWELL	4.90	1.95	0.00	1.27	G	4.01
MARION	4.53	1.40	0.00	1.68	G	2.76
EL DORADO	4.20	3.60	0.80	2.16	G	2.79
MELVERN	3.88	3.56	0.56	2.59	F	9.58
PERRY	3.28	1.90	0.14	2.80	G	5.71
KIRWIN	3.17	2.25	0.42	2.93	G	3.83
LACYGNE	3.00	1.58	0.08	1.60	G	2.40
WILSON	2.93	2.60	0.40	2.97	F	2.30
CHENEY	2.85	2.25	0.85	2.78	G	6.65
HILLSDALE	2.83	2.50	0.00	1.12	F	4.53
WOLF CREEK	2.63	1.75	0.06	1.56	F	2.99
POMONA	2.58	2.00	0.17	3.07	F	9.65
MILFORD	1.80	1.45	0.15	2.01	F	1.12

#### LAKES

CLARK	25.25	9.50	0.00	1.37	G	12.31
SHAWNEE CO. - LAKE SHAWNEE	11.00	5.00	1.38	2.41	G	7.13
HERINGTON CITY LAKE - NEW	9.00	7.75	0.75	1.83	G	11.08
JEFFREY EC - AUX. MAKEUP LAKE	7.25	6.63	2.63	2.16	E	8.58
JEFFREY EC - MAKEUP LAKE	6.33	4.00	0.00	1.53	G	4.72
OSAGE	5.33	3.50	0.67	1.79	F	3.83
HOLTON - BANNER CREEK LAKE	3.63	3.50	0.50	2.23	F	5.49
PAOLA CITY LAKE	3.50	3.17	0.50	1.94	G	1.67
GEARY	3.50	2.75	0.25	1.52	P	3.50
WINFIELD CITY LAKE	2.50	0.70	0.00	1.42	G	2.63
DOUGLAS CO.-LONESTAR LAKE	2.33	2.33	1.50	1.97	F	3.33
CENTRALIA CITY LAKE	2.25	2.00	0.88	2.62	F	1.00
HARVEY CO. LAKE - EAST	2.17	0.83	0.00	0.93	F	2.17
YATES CENTER CITY LAKE-NEW	2.00	2.00	0.33	1.68	F	1.67
MIDDLE CREEK	2.00	1.17	0.00	1.33	F	4.89

#### PONDS

STERLING CITY LAKE	0.33	0.33	0.33	1.77	P	0.33
GLEN ELDER SP POND	0.33	0.33	0.00	0.89	P	0.33

## WHITE CRAPPIE

RESERVOIRS	(>8")	(>10")	(>12")	(lbs.)	(>8")	
HILLSDALE	27.00	7.19	0.94	1.47	G	22.50
PERRY	25.63	7.38	0.63	1.22	G	13.41
LOVEWELL	19.91	7.55	0.27	1.50	G	11.30
MARION	17.60	6.70	1.30	1.43	G	17.20
EL DORADO	11.73	5.07	1.60	2.10	G	5.47
WOLF CREEK	11.29	3.07	1.36	1.76	F	5.94
CLINTON	11.25	7.25	0.81	1.36	G	15.23
ELK CITY	10.94	5.44	0.44	1.68	G	13.27
FALL RIVER	9.94	8.13	1.63	2.09	G	9.21
POMONA	9.63	4.44	0.81	1.52	G	7.29
TORONTO	8.94	8.19	1.94	2.39	G	15.65
JOHN REDMOND	8.81	8.00	3.06	2.23	F	27.38
KANOPOLIS	7.69	0.81	0.13	1.31	F	4.48
TUTTLE CREEK	6.88	3.69	0.75	1.78	F	3.92
BIG HILL	3.20	0.60	0.10	1.04	F	4.95
KIRWIN	3.13	0.94	0.31	1.73	G	1.65
MILFORD	3.13	1.69	0.19	1.57	F	4.69

SABETHA - PONY CREEK LAKE	9.25	3.50	0.25	1.44	G	4.58
LENEXA-LAKE LENEXA	7.00	3.00	0.50	1.13	F	3.33
PAOLA CITY LAKE	5.75	3.25	0.00	0.92	F	2.75
GARNETT CITY LAKE-NORTH	5.60	1.40	0.00	0.75	F	5.43
MIAMI	5.33	1.00	0.33	0.66	F	7.36
LOUISBURG CITY LAKE	5.00	3.50	0.00	0.84	F	5.00
BROWN	5.00	0.00	0.00	0.34	G	6.67
LYON	4.75	0.25	0.00	0.56	F	3.25
CENTRALIA CITY LAKE	4.63	0.38	0.25	1.28	F	2.54
FORT SCOTT CITY LAKE	4.00	1.00	0.00	0.63	F	4.00
HARVEY CO. LAKE - EAST	3.60	1.20	0.20	1.17	F	3.60
NEOSHO	3.50	0.25	0.00	0.66	F	3.83
MCPHERSON	3.33	0.17	0.00	0.49	F	3.11
PRATT CO. LAKE	3.25	0.25	0.00	0.76	F	4.22
COWLEY	3.25	2.25	0.00	0.00	P	3.50
SEDAN - NEW (SOUTH) CITY LAKE	3.00	0.50	0.00	0.57	P	3.00
POTT. CO. - CROSS CREEK LK	3.00	0.00	0.00	0.43	F	13.50
DOUGLAS	3.00	0.50	0.00	0.48	F	2.53
HOLTON - BANNER CREEK LAKE	3.00	0.63	0.25	1.27	F	4.88
OSAGE	2.75	0.75	0.25	0.75	F	2.58
POTTAWATOMIE #2	2.50	1.75	0.75	1.09	F	2.17
DOUGLAS CO. - LONESTAR LAKE	2.50	1.25	0.00	0.59	F	5.50
SHAWNEE CO. - LAKE SHAWNEE	2.25	1.88	0.13	1.01	F	5.00
POTTAWATOMIE #1	2.00	0.50	0.00	0.55	F	1.42
MIDDLE CREEK	2.00	0.00	0.00	0.37	F	1.50
MOLINE OLD (SOUTH) CITY LAKE	1.75	1.25	0.25	0.94	F	1.75
GREAT BEND-STONE PARK LAKE	1.67	0.00	0.00	0.46	F	1.67

#### PONDS

LAWRENCE - P. DAWSON BILLINGS - N	1.50	1.00	0.00	0.57	F	1.50
STERLING CITY LAKE	0.67	0.33	0.00	0.76	P	2.83

## NORTHERN PIKE

LAKES	(>21")	(>28")	(>34")	(lbs.)	(>21")	
KINGMAN	2.25	1.75	0.75	8.91	E	2.88

## WIPER

RESERVOIRS	(>16")	(>20")	(>24")	(lbs.)	(>16")	
SEBELIUS (NORTON)	9.60	4.20	0.00	6.26	G	9.86
MARION	7.93	2.27	0.00	6.08	E	7.33
CHENEY	5.65	1.10	0.10	6.26	E	4.78
EL DORADO	4.20	1.80	0.00	5.41	G	5.28
MILFORD	3.35	1.60	0.00	9.37	G	7.57
GLEN ELDER	2.38	2.21	0.13	8.66	G	2.93